

B1
conclude
vitamin K, an ascorbic acid, a tocopherol; and a stabilizer compound comprising N-acetylcysteine.

B2
17. A composition wherein said composition is a topical composition comprising a retinoid and at least two oxygen-labile species selected from the group consisting of choleciferol, vitamin K, an ascorbic acid, and a tocopherol; and a stabilizer compound comprising N-acetylcysteine.

B3
19. A composition wherein said composition is a topical composition comprising therapeutically active amounts of at least one oxygen-labile species selected from the group consisting of a retinoid, choleciferol, vitamin K, an ascorbic acid, and a tocopherol; and a stabilizer compound comprising N-acetylcysteine wherein said oxygen-labile species are a retinoid, a tocopherol and an ascorbic acid.

B4
20. A composition comprising therapeutically active amounts of oxygen-labile species selected from the group consisting of retinoids, choleciferol, vitamin K, an ascorbic acid, a tocopherol and a mixture thereof; and a stabilizer compound comprising a stabilizing effective amount of N-acetylcysteine wherein said oxygen-labile species are a retinoid and an ascorbic acid.

B5
22. A composition wherein said composition is a topical composition comprising a retinoid in an amount of about 0.01% to about 10% by weight of the composition, a tocopherol in an amount of about 0.01% to about 10% by weight of the composition and an ascorbic acid in an amount of about 0.01% to about 20% by weight of the composition N-acetylcysteine in an amount of about 0.001% to about 5% by weight of the composition.

B6
23. A composition wherein said composition is a topical composition comprising an ascorbic acid in an amount of about 0.01% to about 5% by weight of the composition, a retinoid in the amount of from about 0.01% to about 10% by weight of the composition and N-acetylcysteine in an amount of about 0.001% to about 0.1% by weight of the composition.